NEW BRUNSWICK NUNAVUT

NOVA SCOTIA YUKON

PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS ADDRESS: 29500 Solon Road, Solon, Ohio			
	44139 USA		
Headquarters: 29500 Solon Road Solon (Ohio 44130 IISA (See Att	achment A)	
GATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE	CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe cat Flanges: all flanges C Valves: all flanges Expansion joints, flexible connections, and hose assemblies: all types Expansion joints, flexible connections, and hose assemblies: all types Expansion joints, flexible connections, and hose assemblies: all types Expansion joints, flexible connections, and hose assemblies: all types F Measuring devices, including pressure gauges, level gauges, sight glasse pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary ovibollers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above cate Nuclear-components: Class 1 Class 2 Class 3 (Meeting AEC)	ASME B31.3 Chapter IX as an unlisted component		
SWagelok LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF TH	APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION FORGED WELDED WROUGHY GAST OTHER O DESCREBE OTHER: Bar	
DECLARATION: Joel Feldman, Vice President, Engineering (1990 prote 3) employed by Swage	dok Company and bein	g the person having full authority and	
esponsibility for the quality of the end product do sciemnly declare the	and bein	o the person having full authority and	
emperature ratings, and identification markings are in accordance winanufacture of these fittings is regulated by a Quality Control Program or in part and has been verified by BSI declaration conscientiously believing it to be true, and knowing that it is ignature of Declarer: 3/2/2022 8:	. The dimensions, materials the herein named standar in which extends to each plater as being suitable for the is of the same force and effects.	in this form is true and to the best of of construction, pressure ds. I further declare that the nt where fabrication occurs in whole	
emperature ratings, and identification markings are in accordance winanufacture of these fittings is regulated by a Quality Control Program or in part and has been verified by BSI declaration conscientiously believing it to be true, and knowing that it	. The dimensions, materials the herein named standar in which extends to each plater as being suitable for the is of the same force and effects.	in this form is true and to the best of of construction, pressure ds. I further declare that the nt where fabrication occurs in whole	
emperature ratings, and identification markings are in accordance with manufacture of these fittings is regulated by a Quality Control Program or in part and has been verified by BSI declaration conscientiously believing it to be true, and knowing that it is important to be a signature of Declarer: Declared before me at Inable to get a notary with this day of signature of Oaths or Notary Public: (sign) (Affix Official seal to the right)	The dimensions, materials the the herein named standar in which extends to each platas being suitable for that is of the same force and effects AM: EST USETHIS OFFI	In this form is true and to the best of of construction, pressure ds. I further declare that the nt where fabrication occurs in whole t purpose and I make this solemn ect as if made under oath.	
emperature ratings, and identification markings are in accordance with manufacture of these fittings is regulated by a Quality Control Program or in part and has been verified by BSI declaration conscientiously believing it to be true, and knowing that it declared before me at Inable to get a notary this day of signature of Scal due to commissioner of Oaths or Notary Public; (sign) COVID-19 situation	The dimensions, materials th the herein named standar m which extends to each pla as being suitable for tha is of the same force and effe 33 AM:EST USETHIS OFFI tory Authority use	In this form is true and to the best of of construction, pressure ds. I further declare that the nt where fabrication occurs in whole t purpose and I make this solemn ect as if made under oath. SPACE FOR THE CIAL SEAL	



Canadian Registration Number Category C: Swagelok FKB Series Ball Valves

THIS IS PART OF CRN

0C15674.5R1

Technical Standards and Statel Analy Tyles 1022
Page 1 of 2
Boilers and Pressure Vessels Safety


Attachment B. Scope of CRN Registration for Swagelok FKB Séries Medium Pressure Ball Valves (Category C)

This document represents the scope of the FKB Series Medium Pressure Ball Valves, covered by this submission for CRN approval. These products were designed and evaluated in accordance with ASME B31.3-2020 Chapter IX for unlisted components.

Summary Table

Product	Main Pressure	Main Pressure Bearing	Port Connections and	Maximum Rated Pressure (psig)		Design Code of
Series	Bearing Component	Material (Standard)	Sizes	At 0 to 100°F	At maximum temperature	Construction
6FKB (2-way) and (3-way)	Body	316 SS (ASTM A479)	Medium Pressure Tube Fitting 1/4", 3/8", 1/2" Female NPT 1/4", 3/8", 1/2"	15,000	15,000 at 250°F	
8FKB (2-way) and (3-way)	Body	316 SS (ASTM A479)	Medium Pressure Tube Fitting 1/2", 9/16" Female NPT 1/2"	15,000	15,000 at 250°F	ASME B31.3, Chapter IX (Unlisted Components)
12FKB	Pody	316 SS (ASTM	Medium Pressure Tube Fitting 3/4"	15,000	15,000 at 250°F	
(2-way)	Body	A479)	Female NPT 3/4"	10,000	10,000 at 250°F	

Product Illustration



Configurations

actuation of control systems.




Canadian Registration Number

2-Way (On-Off) Valve

Category C: Swagelok FKB Series Ball Valves Page 2 of 2

Valves are available in 2-way and 3-way pattern, and either manually or pneumatically actuated.

Date: January 7, 2022



Some of the product options listed below affect pressure and/or temperature ratings shown in the above Summary Table, but in all cases the ratings are less than those shown in the table. All of the following options are within the scope of this approval.

O-ring Stem Seal Options

HNBR Nitrile

Perfluorocarbon FFKM

Additional options and non-pressure boundary alterations that do not affect pressuretemperature ratings may be made available within the scope of this registration. Examples of these would include handle options, actuator options, etc.

Quality System

The Swagelok Company quality system complies with the requirements of ISO 9001:2015. The Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

References

The product catalog below does not represent the full scope of the registration but rather details some of the most common options.

Medium- and High-Pressure Fittings, Tubing, Valves, and Accessories Product Catalog MS-02-472 Rev R

Attachment A. Swagelok Manufacturing Locations

This document lists the Swagelok locations where end item or component level manufacturing activities take place.

THIS IS PART OF CRN 0C15674.5R1

	0010074.01(1		
Swagelok Company 29500 Solon Road Solon, Ohio 44139 USA	Swagelok Company 348 Bishop Road Highland Heights, Ohio 44143		
Swagelok Company (Highland)	Swagelok Company (Falon 2)		
318 Bishop Road	358 Bishop Road		
Highland Heights, Ohio 44143	Highland Heights, Ohio 44143		
USA	USA		
Swagelok Company (OFC)	Swagelok Company (HPF)		
29495 F.A. Lennon Drive	6050 Cochran Road		
Solon, Ohio 44139	Solon, Ohio 44139		
USA	USA		
Swagelok Company (Atlantic)	Swagelok Company (Snow Metal)		
26651 Curtiss Wright Parkway	6060 Cochran Road		
Willoughby Hills, Ohio 44092	Solon, Ohio 44139		
USA	USA		
Swagelok Company (Micro) 26653 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA	Swagelok Company (Alfred) 29500 Ambina Drive Solon, Ohio 44139		
Swagelok Hose Services Company (SHSC)	Swagelok Company (Strongsville)		
29900 Solon Industrial Parkway	15400 Foltz Road		
Solon, Ohio 44139	Strongsville, Ohio 44119		
Swagelok (China) Fluid System Technologies Ltd. Changshu Export Process Zone Changshu Economic Development Zone Changshu, Jiangshu 215513 China	Swagelok Limited Ballafletcher Road Tromode IM4 4RA Isle of Man		